
The Trail Inventory of Willapa NWR

Ilwaco, WA





Prepared By: Federal Highway Administration Central Federal Lands Highway Division January, 2012



TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

Willapa NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excellent		Good		Fair		Others		Total
Туре	Miles	%	Miles	%	Miles	%	Miles	%	Miles
Native	10.42	83%	0.73	6%	1.35	11%	0.00	0%	12.50
Gravel	0.32	100%	0.00	0%	0.00	0%	0.00	0%	0.32
Boardwalk	0.11	100%	0.00	0%	0.00	0%	0.00	0%	0.11
Admin Road	0.00	0%	0.00	0%	0.00	0%	7.54	100%	7.54
Total	10.85	53%	0.73	4%	1.35	7%	7.54	37%	20.47

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent Good		Fair		Others		Total		
Classification	Miles	%	Miles	%	Miles	%	Miles	%	Miles
TC1	0.58	100%	0.00	0%	0.00	0%	0.00	0%	0.58
TC2	5.49	80%	0.00	0%	1.35	20%	0.00	0%	6.84
тсз	4.58	36%	0.73	6%	0.00	0%	7.54	59%	12.85
TC4	0.20	100%	0.00	0%	0.00	0%	0.00	0%	0.20
Total	10.85	53%	0.73	4%	1.35	7%	7.54	37%	20.47

^{*}Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T200	Sign	1	No	0.00	WILL_C2_001 1
T200	Trailhead	1	No	0.00	WILL_C2_001
T200	Sign	9	Yes	0.18	WILL_C2_001
T200	Sign	1	No	1.22	WILL_C2_002 7
T200	Sign	3	No	1.23	WILL_C2_002 8
T201	Trailhead	1	No	0.00	WILL_C2_004
T202	Trailhead	1	No	0.00	WILL_C2_005 8
T203	Trailhead	1	No	0.00	WILL_C2_008 7
T203	Sign	1	No	0.00	WILL_C2_008 8
T203	Sign	2	No	0.52	WILL_C2_009 0
T204	Sign	1	No	0.00	WILL_C2_009
T204	Trailhead	1	No	0.00	WILL_C2_009
T204	Culvert -lf	6	No	0.38	
T205	Sign	1	No	0.00	WILL_C2_009 4
T205	Trailhead	1	No	0.00	WILL_C2_009
T206	Trailhead	1	No	0.00	WILL_C2_009 5
T206	Boardwalk -If	25	No	0.17	WILL_C2_009 6
T206	Sign	2	No	0.21	WILL_C2_009 7
T206	Begin Section	1	No	0.23	WILL_C2_009
T206	Sign	1	No	0.23	WILL_C2_009 8
T206	Sign	1	No	0.23	WILL_C2_010 0
T206	Boardwalk -lf	55	No	0.34	WILL_C2_010
T206	Boardwalk -lf	10	No	0.36	WILL_C2_010 2

T206	Boardwalk -If	22	No	0.40	WILL_C2_010 3
T207	Trailhead	1	No	0.00	WILL_C2_010 5
T207	Sign	1	No	0.00	WILL_C2_010 6
T207	Begin Section	1	No	0.48	WILL_C2_010 7
T207	Begin Section	1	No	0.48	WILL_C2_010 9
T207	Sign	2	No	0.63	WILL_C2_010 8
T300	Begin Section	1	No	0.00	WILL_C2_003 2
T300	Trailhead	1	No	0.00	WILL_C2_000
T300	Sign	1	No	0.00	WILL_C2_000 3
T300	Sign	3	No	0.00	WILL_C2_000 2
T300	Boardwalk -lf	30	No	0.06	WILL_C2_000 5
T300	Sign	2	Yes	0.06	WILL_C2_000 6
T300	Begin Section	1	No	0.07	WILL_C2_003
T300	Begin Section	1	No	0.20	WILL_C2_002 9
T300	Intersection	1	No	0.58	
T300	Begin Section	1	No	0.58	WILL_C2_000 9
T301	Trailhead	1	No	0.00	WILL_C2_003 3
T301	Sign	1	No	1.05	WILL_C2_003 4
T301	Intersection	1	No	1.42	
T301	Intersection	1	No	2.67	
T301	Sign	1	No	2.67	WILL_C2_003 5
T301	Intersection	1	No	2.89	
T301	Intersection	1	No	3.89	
T301	Water Control Struc	1	No	4.27	
T301	Begin Section	1	No	4.39	WILL_C2_003
T301	Intersection	1	No	4.39	
T301	Intersection	1	No	4.93	
T301	Begin Section	1	No	5.54	WILL_C2_003 7
T301	Culvert -If	8	No	5.92	
T301	Culvert -lf	12	No	6.34	

T301	Begin Section	1	No	7.16	WILL_C2_003 8
T301	Intersection	1	No	8.19	<u> </u>
T301	Sign	1	No	8.54	WILL_C2_003
T301	Sign	1	No	8.66	WILL_C2_004
T301	Sign	1	No	8.70	WILL_C2_004 2
T301	Puncheon -If	75	No	8.78	WILL_C2_004
T301	Begin Section	1	No	8.80	WILL_C2_004 5
T301	Sign	2	No	8.80	WILL_C2_004 4
T301	Bridge -sf	12	No	8.92	WILL_C2_004 6
T301	Bridge -sf	6	No	8.94	WILL_C2_004 7
T301	Sign	1	No	9.02	WILL_C2_004 8
T301	Bench	3	No	9.02	
T302	Trailhead	1	No	0.00	WILL_C2_005 0
T302	Water Control Struc	1	No	0.37	
T302	Culvert -If	12	No	0.43	
T302	Culvert -If	12	No	0.66	
T302	Bridge -sf	24	No	0.72	WILL_C2_005 2
T302	Begin Section	1	No	1.18	WILL_C2_005
T302	Begin Section	1	No	1.18	WILL_C2_005
T302	Culvert -If	8	No	1.36	
T302	Begin Section	1	No	1.55	WILL_C2_006 0
T302	Culvert -If	5	No	1.66	
T302	Begin Section	1	No	1.91	WILL_C2_005 6
T302	Culvert -If	6	No	1.98	
T302	Intersection	1	No	2.24	
T302	Begin Section	1	No	2.32	WILL_C2_005 7
T303	Trailhead	1	No	0.00	WILL_C2_006
T303	Gate	1	No	0.00	
T303	Water Control Struc	1	No	0.72	
T303	Intersection	1	No	0.79	
T303	Bridge -sf	288	No	1.08	WILL_C2_006 4

T303	Water Control Struc	1	No	1.46	
T303	Bridge -sf	288	No	1.56	WILL_C2_006 5
T304	Trailhead	1	No	0.00	WILL_C2_006 6
T305	Gate	1	No	0.00	
T305	Trailhead	1	No	0.00	WILL_C2_008 5
T400	Trailhead	1	No	0.00	WILL_C2_006 8
T400	Begin Section	1	No	0.02	WILL_C2_006 9
T400	Begin Section	1	No	0.07	WILL_C2_007 0
T400	Lookout/Ob Deck	1	No	0.08	
T400	Begin Section	1	No	0.11	WILL_C2_007
T400	Bench	1	No	0.13	
T400	Boardwalk -If	38	No	0.13	WILL_C2_007
T400	Sign	1	No	0.15	WILL_C2_007
T400	Step: Log -each	38	No	0.15	
T400	Step: Log -each	35	No	0.20	
T400	Step: Log -each	8	No	0.26	
T400	Boardwalk -If	12	No	0.27	WILL_C2_007
T400	Step: Log -each	7	No	0.37	
T400	Step: Log -each	6	No	0.48	
T400	Step: Log -each	62	No	0.49	
T400	Boardwalk -If	12	No	0.52	WILL_C2_007 5
T400	Boardwalk -If	7	No	0.52	WILL_C2_007 4
T400	Boardwalk -If	12	No	0.54	WILL_C2_007
T400	Step: Log -each	6	No	0.54	
T400	Bench	7	No	0.59	
T400	Sign	1	No	0.60	WILL_C2_007 7
T400	Step: Log -each	26	No	0.70	
T400	Bench	1	No	0.71	
T400	Puncheon -If	44	No	0.71	WILL_C2_008 2
T400	Sign	1	No	0.71	WILL_C2_008
T400	Boardwalk -If	20	No	0.74	WILL_C2_008
T400	Boardwalk -If	14	No	0.75	WILL_C2_008 0

T400	Boardwalk -If	10	No	0.76	WILL_C2_007 0
T400	Step: Log -each	7	No	0.77	
T400	Sign	11	Yes	0.82	WILL_C2_008 4

sf - square feet

If - linear feet


cf - cubic feet

Willapa NWR Trail Location Map










Trails ID


Station Name: Willapa NWR Org Code: 13552

Trail		Ourface Tour	244442	Trail	Trail Description
Number	Trail Name	Surface Type	SAMMS	Mileage	(Begin and End point of trail)
T200	Bearberry Trail	Native	10003747	1.35	From Leadbetter Trail (T300) Sec 003 to end of trail at the beach
T201	No Name Trail	Native	10003687	0.36	From Center Road Trail (T301) to end of trail
T202	Paradise Point Spur Trail	Native	10003692	0.09	From Paradise Point Trail (T302) to end of trail
T203	Sand Spit Trail	Native	10003689	0.52	From Centerline Road Trail (T300) to end of trail at campground
T204	Sawlog Trail	Native	10003690	0.67	From Centerline Road Trail (T300) to end of trail at campground
T205	Smoky Hallow Trail	Native	10003689	0.26	From Centerline Road Trail (T300) to end of trail at the beach
T206	Don Bonker Trail	Gravel	10042349	0.23	From Centerline Road Trail (T300) to end of trail loop
T206	Don Bonker Trail	Native	10042349	0.35	From Centerline Road Trail (T300) to end of trail loop
T207	High Point Trail	Native	10003688	0.86	From Centerline Road Trail (T300) to end of trail at the beach
T300	Leadbetter Bay Loop Trail	Gravel	10003746	0.07	From Leadbetter Bay Parking (Rte 903) to end of Sec 005 at refuge boundary
T300	Leadbetter Bay Loop Trail	Native	10003746	0.68	From Leadbetter Bay Parking (Rte 903) to end of Sec 005 at refuge boundary
T301	Center Road Trail	Admin Road	10003687	5.54	From Boat Launch on Long Island to end of trail at Lewis Campground
T301	Center Road Trail	Native	10003687	3.48	From Boat Launch on Long Island to end of trail at Lewis Campground
T302	Paradise Point Trail	Native	10003691	2.46	From Center Road Trail (T301) to trail tread indistiguishable
T302	Paradise Point Trail	Native	10003695	0.73	From Center Road Trail (T301) to trail tread indistiguishable
T303	Lewis Dike Trail	Admin Road	10003670	1.56	From East of Lewis Unit Parking (Rte 901) at gate to end of trail at sign

T304	Lewis Cross Dike Trail	Admin Road	10003671	0.16	From Lewis Dike Trail (T303) to end of trail at sign
T305	Teal Slough Trail	Admin Road	10036822	0.28	From Teal Slough Parking (Rte 907) to fork in road
T400	Salmon Art Trail	Boardwalk	10052501	0.05	From Headquarters Parking (Rte 900) to end of trail loop
T400	Salmon Art Trail	Boardwalk	10052502	0.06	From Headquarters Parking (Rte 900) to end of trail loop
T400	Salmon Art Trail	Gravel	10053967	0.02	From Headquarters Parking (Rte 900) to end of trail loop
T400	Salmon Art Trail	Native	10053967	0.69	From Headquarters Parking (Rte 900) to end of trail loop

Report Generated: 01/05/2012 3 - 2






Trail Name: Bearberry Trail Refuge Name: Willapa NWR **Trail Number:** T200 Region: 1


Section Number 001 Section Length (miles) 1.35 10003747 SAMMS Number 05/16/2007 Rating Date Trail Section Information TC2 Trail Class Native Surface Type Surface Firmness Soft Width (inches) 24 Average Grade (%) 6.9 Average X-slope (%) 1.20 Trail Condition Information \$5,919 **Deferred Maintenance** \$68,874 CRV 0.09 FCI Fair Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$5,919	\$68,874	0.09	Fair

Total Length: 1.35 Miles





Trail Name:No Name TrailRefuge Name:Willapa NWRTrail Number:T201Region: 1

Section Number 001 Section Length (miles) 0.36 10003687 SAMMS Number 05/17/2007 Rating Date Trail Section Information TC2 Trail Class Native Surface Type Surface Firmness Firm Width (inches) 36 Average Grade (%) 11.1 Average X-slope (%) 8.10 **Trail Condition Information Deferred Maintenance** \$27,548 CRV 0.00 FCI Excellent Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$27,548	0.00	Excellent

Total Length: 0.36 Miles





Trail Name:Paradise Point Spur TrailRefuge Name:Willapa NWRTrail Number:T202Region: 1

\$6,889

0.00

Excellent

Section Number 001 Section Length (miles) 0.09 10003692 SAMMS Number 05/17/2007 Rating Date Trail Section Information TC2 Trail Class Native Surface Type Surface Firmness Firm Width (inches) 36 Average Grade (%) 3.5 Average X-slope (%) 2.70 Trail Condition Information **Deferred Maintenance**

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$6,889	0.00	Excellent

CRV

FCI

Condition

Total Length: 0.09 Miles





Trail Name: Sand Spit Trail Refuge Name: Willapa NWR **Trail Number:** T203 Region: 1


Section Number 001 Section Length (miles) 0.52 10003689 SAMMS Number 05/19/2007 Rating Date Trail Section Information TC2 Trail Class Native Surface Type Surface Firmness Firm Width (inches) 60 Average Grade (%) 9.9 Average X-slope (%) 3.70 **Trail Condition Information** \$175 **Deferred Maintenance** \$66,323 CRV 0.00 FCI Excellent Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$175	\$66,323	0.00	Excellent

Total Length: 0.52 Miles






Trail Name: Sawlog Trail Refuge Name: Willapa NWR

Trail Number: T204 Region: 1 Total Length: 0.67 Miles

Section Number	001
Section Length (miles)	0.67
SAMMS Number	10003690
Rating Date	05/19/2007
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	48
Average Grade (%)	4.2
Average X-slope (%)	2.60
Trail Condition Information	
Deferred Maintenance	
CRV	\$68,361
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$68,361	0.00	Excellent






Trail Name: Smoky Hallow Trail Refuge Name: Willapa NWR

Trail Number: T205 Region: 1 Total Length: 0.26 Miles

Section Number	001
Section Length (miles)	0.26
SAMMS Number	10003689
Rating Date	05/19/2007
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	48
Average Grade (%)	5.4
Average X-slope (%)	1.70
Trail Condition Information	
Deferred Maintenance	
CRV	\$26,528
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$26,528	0.00	Excellent



	0.1	•	0.1	0.2	0.3 Miles			
	Excellent	G o	od Fair		Poor	Very Po	or 🛑	Admin Road
<u> </u>	Begin Section		Check Dam		Step Feature	\boxtimes	Gate	- N
I	Trailhead	~	Retaining Wall		Max. Grade	\succ	Bridge	W TO E
Ŕτ	Trail Sign	1	Raised Trail Structure	₩	Min. Width	-/\-	Bench	Š
	Drainage Structure		Water Bar	+	Intersection	×	Other	Station Boundary

Trail Name: Don Bonker Trail Refuge Name: Willapa NWR

Trail Number: T206 Region: 1 Total Length: **0.58 Miles**

Section Number	001	002
Section Length (miles)	0.23	0.35
SAMMS Number	10042349	10042349
Rating Date	05/19/2007	05/19/2007
Trail Section Information		
Trail Class	TC2	TC2
Surface Type	Gravel	Native
Surface Firmness	Firm	Firm
Width (inches)	60	36
Average Grade (%)	4.6	4.6
Average X-slope (%)	3.30	3.30
Trail Condition Information		
Deferred Maintenance		
CRV	\$32,002	\$26,784
FCI	0.00	0.00
Condition	Excellent	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$58,786	0.00	Excellent





Trail Name:High Point TrailRefuge Name:Willapa NWRTrail Number:T207Region: 1


Section Number 001 002 003 Section Length (miles) 0.48 0.17 0.21 10003688 10003688 10003688 SAMMS Number 05/19/2007 05/19/2007 05/19/2007 Rating Date Trail Section Information TC2 TC2 TC2 Trail Class Native Native Native Surface Type Surface Firmness Firm Firm Firm Width (inches) 60 60 60 Average Grade (%) 8.8 8.8 8.8 Average X-slope (%) 2.40 2.40 2.40 **Trail Condition Information Deferred Maintenance** \$61,221 \$21,682 \$26,784 **CRV** 0.00 0.00 0.00 FCI Excellent Excellent Excellent Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$109,688	0.00	Excellent

Total Length: 0.86 Miles





Trail Name: Leadbetter Bay Loop Trail Refuge Name: Willapa NWR

Trail Number: T300 Region: 1 Total Length: **0.75 Miles**

Section Number	001	002	003	004	005
Section Length (miles)	0.07	0.07	0.13	0.38	0.10
SAMMS Number	10003746	10003746	10003746	10003746	10003746
Rating Date	05/16/2007	05/16/2007	05/16/2007	05/16/2007	05/16/2007
Trail Section Information					
Trail Class	TC4	TC3	TC3	TC3	TC3
Surface Type	Gravel	Native	Native	Native	Native
Surface Firmness	Firm	Firm	Firm	Firm	Soft
Width (inches)	60	42	57	24	28
Average Grade (%)	3.8	3.8	3.8	3.8	3.8
Average X-slope (%)	6.90	6.90	6.90	6.90	6.90
Trail Condition Information					
Deferred Maintenance	\$0				
CRV	\$9,740	\$6,252	\$15,750	\$19,388	\$5,952
FCI	0.00	0.00	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent	Excellent	Excellent

Deferred Maintenance	CRV	FCI	Condition
\$0	\$57,081	0.00	Excellent





Trail Name: Center Road Trail T301

Trail Number:

Condition

Refuge Name: Willapa NWR Region: 1

Section Number 001 002 003 004 005 Section Length (miles) 4.39 1.15 1.62 1.64 0.22 10003687 10003687 10003687 10003687 10003687 SAMMS Number 05/17/2007 05/17/2007 05/17/2007 05/17/2007 05/17/2007 Rating Date Trail Section Information TC3 TC3 TC3 TC2 TC1 Trail Class Admin Road Admin Road Native Native Native Surface Type Surface Firmness Firm Firm Firm Firm Firm Width (inches) 120 120 72 36 36 Average Grade (%) 4.2 4.2 4.2 4.2 4.2 Average X-slope (%) 3.80 3.80 3.80 3.80 3.80 **Trail Condition Information** \$1,707 **Deferred Maintenance** \$247,947 \$16,837 **CRV** \$125,505 0.00 0.01 0.00 FCI

Trail Condition TOTALS


Excellent


Excellent

Deferred Maintenance	CRV	FCI	Condition
\$1,707	\$390,289	0.00	Excellent

Total Length: 9.02 Miles

Excellent





Trail Name: Paradise Point Trail

Refuge Name: Willapa NWR Trail Number: T302 Region: 1

Section Number	001	002	003	004	005
Section Length (miles)	1.18	0.73	0.41	0.14	0.37
SAMMS Number	10003691	10003691	10003691	10003691	10003695
Rating Date	05/17/2007	05/17/2007	05/17/2007	05/17/2007	05/17/2007
Trail Section Information					
Trail Class	TC3	TC3	TC3	TC2	TC2
Surface Type	Native	Native	Native	Native	Native
Surface Firmness	Firm	Firm	Firm	Firm	Firm
Width (inches)	120	60	48	36	72
Average Grade (%)	6.8	6.8	6.8	6.8	6.8
Average X-slope (%)	2.20	2.20	2.20	2.20	2.20
Trail Condition Information					
Deferred Maintenance	\$3,797	\$2,991			
CRV	\$301,003	\$93,107	\$41,833	\$10,716	\$56,631
FCI	0.01	0.03	0.00	0.00	0.00
Condition	Excellent	Good	Excellent	Excellent	Excellent

Total Length: 3.19 Miles





Trail Name:Paradise Point TrailRefuge Name:Willapa NWRTrail Number:T302Region: 1

Section Number 006 Section Length (miles) 0.36 10003695 SAMMS Number 05/17/2007 Rating Date Trail Section Information TC1 Trail Class Native Surface Type Surface Firmness Firm Width (inches) 36 Average Grade (%) 6.8 Average X-slope (%) 2.20 Trail Condition Information **Deferred Maintenance** \$27,548 CRV 0.00 FCI Excellent Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$6,788	\$530,838	0.01	Good

Total Length: 3.19 Miles





Trail Name: Lewis Dike Trail Refuge Name: Willapa NWR **Trail Number:** T303 Region: 1

Section Number 001 Section Length (miles) 1.56 10003670 SAMMS Number 05/18/2007 Rating Date Trail Section Information TC3 Trail Class Admin Road Surface Type Surface Firmness Firm 108 Width (inches) Average Grade (%) 1.2 Average X-slope (%) 3.10 Trail Condition Information **Deferred Maintenance** CRV FCI Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition

Total Length: 1.56 Miles





Trail Name: Lewis Cross Dike Trail Refuge Name: Willapa NWR **Trail Number:** T304 Region: 1

Section Number 001 Section Length (miles) 0.16 10003671 SAMMS Number 05/18/2007 Rating Date Trail Section Information TC3 Trail Class Admin Road Surface Type Surface Firmness Firm Width (inches) 120 Average Grade (%) 1.1 Average X-slope (%) 3.50

Trail Condition Information


Deferred Maintenance CRV FCI

Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition

Total Length: 0.16 Miles







Trail Name: Teal Slough Trail Refuge Name: Willapa NWR

Trail Number: T305 Region: 1 Total Length: 0.28 Miles

Section Number	001
Section Length (miles)	0.28
SAMMS Number	10036822
Rating Date	05/18/2007
Trail Section Information	
Trail Class	TC3
Surface Type	Admin Road
Surface Firmness	Firm
Width (inches)	108
Average Grade (%)	12.1
Average X-slope (%)	1.80
Trail Condition Information	
Deferred Maintenance	
CRV	
FCI	
Condition	

Deferred Maintenance	CRV	FCI	Condition








Trail Name:Salmon Art TrailRefuge Name:Willapa NWRTrail Number:T400Region: 1Total Length:0.82 Miles


Section Number Section Length (miles) SAMMS Number	001 0.02 10053967	002 0.05 10052501	003 0.06 10052502	004 0.69 10053967
Rating Date	05/18/2007	05/18/2007	05/18/2007	05/18/2007
Trail Section Information				
Trail Class	TC4	TC4	TC4	TC3
Surface Type	Gravel	Boardwalk	Boardwalk	Native
Surface Firmness	Firm	Firm	Firm	Soft
Width (inches)	54	48	48	24
Average Grade (%)	7.8	7.8	7.8	7.8
Average X-slope (%)	1.90	1.90	1.90	1.90
Trail Condition Information				
Deferred Maintenance				
CRV	\$2,503	\$27,583	\$33,094	\$35,200
FCI	0.00	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$98,381	0.00	Excellent











Mile Post	0.99
Section Number	001
Photo Number	WILL_C2_0025
Deficiency	Drainage
Action	Build/Add
Item	Tread -sf
Quantity	30
Deferred Maintenance	\$194





Deferred Maintenance


\$175




Trail Name: Leadbetter Bay Loop Trail Refuge Name: Willapa NWR **Trail Number:** T300 Region: 1

0.05 Mile Post 001 Section Number Photo Number WILL_C2_0004 Trail Location Deficiency Remove Action Trail: Social -If Item Quantity 600 **Deferred Maintenance** \$0

Total Length: 0.75 Miles





\$368

\$2,515

Deferred Maintenance

\$3,797

\$108

TRAIL NUMBER: T200 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0010 - MP 0.00 - Trailhead



Photo # WILL_C2_0011 - MP 0.00 - Sign

TRAIL NUMBER: T200 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0012 - MP 0.18 - Sign



Photo # WILL C2 0027 - MP 1.22 - Sign

TRAIL NUMBER: T200 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0028 - MP 1.23 - Sign



Photo # WILL_C2_0049 - MP 0.00 - Trailhead

TRAIL NUMBER: T202 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0058 - MP 0.00 - Trailhead



Photo # WILL_C2_0087 - MP 0.00 - Trailhead

TRAIL NUMBER: T203 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0088 - MP 0.00 - Sign



Photo # WILL_C2_0090 - MP 0.52 - Sign

TRAIL NUMBER: T204 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0091 - MP 0.00 - Sign



Photo # WILL_C2_0092 - MP 0.00 - Trailhead

TRAIL NUMBER: T205 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0094 - MP 0.00 - Sign



Photo # WILL_C2_0093 - MP 0.00 - Trailhead

TRAIL NUMBER: T206 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0095 - MP 0.00 - Trailhead



Photo # WILL_C2_0096 - MP 0.17 - Boardwalk -If

TRAIL NUMBER: T206 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0097 - MP 0.21 - Sign



Photo # WILL_C2_0098 - MP 0.23 - Sign

TRAIL NUMBER: T206 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0099 - MP 0.23 - Begin Section



Photo # WILL_C2_0100 - MP 0.23 - Sign

TRAIL NUMBER: T206 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0101 - MP 0.34 - Boardwalk -If



Photo # WILL_C2_0102 - MP 0.36 - Boardwalk -If

TRAIL NUMBER: T206 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0103 - MP 0.40 - Boardwalk -If



Photo # WILL_C2_0105 - MP 0.00 - Trailhead

TRAIL NUMBER: T207 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0106 - MP 0.00 - Sign



Photo # WILL_C2_0107 - MP 0.48 - Begin Section

TRAIL NUMBER: T207 STATION: Willapa NWR DATE: 05/19/2007



Photo # WILL_C2_0108 - MP 0.63 - Sign



Photo # WILL_C2_0109 - MP 0.48 - Begin Section

TRAIL NUMBER: T300 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0001 - MP 0.00 - Trailhead



Photo # WILL_C2_0002 - MP 0.00 - Sign

TRAIL NUMBER: T300 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0003 - MP 0.00 - Sign



Photo # WILL_C2_0005 - MP 0.06 - Boardwalk -If

TRAIL NUMBER: T300 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0006 - MP 0.06 - Sign



Photo # WILL_C2_0032 - MP 0.00 - Begin Section

TRAIL NUMBER: T300 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0030 - MP 0.07 - Begin Section



Photo # WILL_C2_0029 - MP 0.20 - Begin Section

TRAIL NUMBER: T300 STATION: Willapa NWR DATE: 05/16/2007



Photo # WILL_C2_0009 - MP 0.58 - Begin Section



Photo # WILL_C2_0033 - MP 0.00 - Trailhead

TRAIL NUMBER: T301 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0034 - MP 1.05 - Sign



Photo # WILL_C2_0035 - MP 2.67 - Sign

TRAIL NUMBER: T301 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0036 - MP 4.39 - Begin Section



Photo # WILL_C2_0037 - MP 5.54 - Begin Section

TRAIL NUMBER: T301 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0038 - MP 7.16 - Begin Section



Photo # WILL_C2_0039 - MP 8.54 - Sign

TRAIL NUMBER: T301 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0041 - MP 8.66 - Sign

TRAIL NUMBER: T301 STATION: Willapa NWR



Photo # WILL_C2_0042 - MP 8.70 - Sign

TRAIL NUMBER: T301 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0043 - MP 8.78 - Puncheon -If



Photo # WILL_C2_0044 - MP 8.80 - Sign

TRAIL NUMBER: T301 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0045 - MP 8.80 - Begin Section



Photo # WILL_C2_0046 - MP 8.92 - Bridge -sf

TRAIL NUMBER: T301 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0047 - MP 8.94 - Bridge -sf




Photo # WILL_C2_0048 - MP 9.02 - Sign

TRAIL NUMBER: T302 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0050 - MP 0.00 - Trailhead



Photo # WILL_C2_0052 - MP 0.72 - Bridge -sf

TRAIL NUMBER: T302 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0053 - MP 1.18 - Begin Section



Photo # WILL_C2_0056 - MP 1.91 - Begin Section

TRAIL NUMBER: T302 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0057 - MP 2.32 - Begin Section



Photo # WILL_C2_0059 - MP 1.18 - Begin Section

TRAIL NUMBER: T302 STATION: Willapa NWR DATE: 05/17/2007



Photo # WILL_C2_0060 - MP 1.55 - Begin Section



Photo # WILL_C2_0063 - MP 0.00 - Trailhead

TRAIL NUMBER: T303 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0064 - MP 1.08 - Bridge -sf



Photo # WILL_C2_0065 - MP 1.56 - Bridge -sf

TRAIL NUMBER: T304 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0066 - MP 0.00 - Trailhead



Photo # WILL_C2_0085 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0068 - MP 0.00 - Trailhead



Photo # WILL_C2_0069 - MP 0.02 - Begin Section

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0070 - MP 0.07 - Begin Section



Photo # WILL_C2_0072 - MP 0.11 - Begin Section

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0071 - MP 0.13 - Boardwalk -If



Photo # WILL_C2_0078 - MP 0.15 - Sign

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0073 - MP 0.27 - Boardwalk -If



Photo # WILL_C2_0074 - MP 0.52 - Boardwalk -If

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0075 - MP 0.52 - Boardwalk -If



Photo # WILL_C2_0076 - MP 0.54 - Boardwalk -If

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0077 - MP 0.60 - Sign



Photo # WILL_C2_0082 - MP 0.71 - Puncheon -If

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0083 - MP 0.71 - Sign



Photo # WILL_C2_0081 - MP 0.74 - Boardwalk -If

TRAIL NUMBER: T400 STATION: Willapa NWR DATE: 05/18/2007



Photo # WILL_C2_0080 - MP 0.75 - Boardwalk -If



Photo # WILL_C2_0070 - MP 0.76 - Boardwalk -If



Photo # WILL_C2_0084 - MP 0.82 - Sign

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped Features Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Info Type Type of accessibility information available at trailhead:

brochure, sign or other.

Item Item on which the "Action" (see above) will be

performed.

Manage_Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

MP Distance of a trail feature or deficiency from the

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

T Class Trail Class: I-V (see Appendix? for trail class

descriptions).

Tr Desig Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Turnpike Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.